Pain 138 (2008) 691–695

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 138 (2008)

Abbott, F.V., see Ocvirk, R., **138** 402
Abele, A., see Scholz, J., **138** 130
Afif, A., Hoffmann, D., Minotti, L., Benabid, A.L., Kahane, P., Middle short gyrus of the insula implicated in pain processing, **138** 546
Akbar, M., see Schiltenwolf, M., **138** 688
Akopian, A.N., see Jeske, N.A., **138** 604
Albers, K.M., see Malin, S.A., **138** 484
Alchaar, H., see Attal, N., **138** 343
Anand, P., see Anand, U., **138** 667
Anand, U., Otto, W.R., Sanchez-Herrera, D., Facer, P., Yiangou, Y., Korchev, Y., Birch, R., Benham, C., Bountra, C., Chessell, I.P., Anand, P., Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons, **138** 667
Anderson, T., see Parsells Kelly, J., **138** 507
Apkarian, A.V., see Geha, P.Y., **138** 641
Arendt-Nielsen, L., see Falla, D., **138** 217
Arendt-Nielsen, L., see Defrin, R., **138** 577
Arnèr, S., see Gordh, T.E., **138** 255
Arreto, C.-D., see Robert, C., **138** 250
Asmundson, G.J.G., Katz, J., Understanding pain and posttraumatic stress disorder comorbidity: Do pathological responses to trauma alter the perception of pain? **138** 247
Attal, N., Fermanian, C., Fermanian, J., Lanteri-Minet, M., Alchaar, H., Bouhassira, D., Neuropathic pain: Are there distinct subtypes depending on the aetiology or anatomical lesion? **138** 343
Au, S., see Toth, C., **138** 657
Auvinen, A., see Mikkelsson, M., **138** 681

Baliki, M.N., see Geha, P.Y., **138** 641
Banik, R.K., Brennan, T.J., Sensitization of primary afferents to mechanical and heat stimuli after incision in a novel in vitro mouse glabrous skin-nerve preparation, **138** 380
Baraldi, P., see Lui, F., **138** 362
Baron, R., see Rolke, R., **138** 689
Baudoin, J., see Torres, D.P., **138** 472
Baune, B.T., Caniato, R.N., Garcia-Alcaraz, M.A., Berger, K., Combined effects of major depression, pain and somatic disorders on general functioning in the general adult population, **138** 310
Beaulieu, P., see Daoust, R., **138** 565
Beck, J. G., see Clapp, J.D., **138** 301
Ben-Nun, A., see Yarnitsky, D., **138** 22
Benabid, A.L., see Afif, A., **138** 546
Benham, C., see Anand, U., **138** 667
Bennett, G.J., see Coderre, T.J., **138** 3
Benstein-Sheraizin, A., see Defrin, R., **138** 577
Bentley, D.E., see Boyle, Y., **138** 630
Berger, K., see Baune, B.T., **138** 310
Best, L.-A., see Yarnitsky, D., **138** 22
Bezalel, A., see Defrin, R., **138** 577
Biber, B., see Gordh, T.E., **138** 255
Biesanz, J.C., see Stanford, E.A., **138** 11
Billinton, A., see Medhurst, S.J., **138** 61
Bingham, S., see Medhurst, S.J., **138** 61
Birch, R., see Anand, U., **138** 667
Birklein, F., Depmeier, C., Rolke, R., Hansen, C., Rautenstrauss, B., Prawitt, D., Magerl, W., A family-based investigation of cold pain tolerance, **138** 111
Blakeney, P., see Smith, M.T., **138** 497
Bloch, M., see Defrin, R., **138** 450
Boivie, J., see Gordh, T.E., **138** 255
Bouhassira, D., see Attal, N., **138** 343
Bountra, C., see Anand, U., **138** 667
Boyle, Y., El-Deredy, W., Martínez Montes, E., Bentley, D.E., Jones, A.K.P., Selective modulation of nociceptive processing due to noise distraction, **138** 630
Braden, J.B., see Sullivan, M.D., **138** 440
Bradesi, S., see Wang, Z., **138** 233
Brand, R., see Peul, W.C., **138** 180
Brand, R., see Peul, W.C., **138** 571
Brass, A., see Medhurst, S.J., **138** 61
Brennan, T.J., see Banik, R.K., **138** 380
Bruehl, S., see Chung, O.Y., **138** 87
Bruusgaard, D., see Kamaleri, Y., **138** 41
Buysse, A., see Vervoort, T., **138** 277
Byers, J.F., see Schiavenato, M., **138** 460

Cain, K.C., see Ersek, M., **138** 29
Caniato, R.N., see Baune, B.T., **138** 310
Chambers, C.T., see Stanford, E.A., **138** 11
Chauny, J.-M., see Daoust, R., **138** 565
Chen, E., see Stanford, E.A., **138** 11
Chessell, I.P., see Medhurst, S.J., **138** 61
Chessell, I.P., see Anand, U., **138** 667
Cho, J.-H., see Choi, I.-S., **138** 330
Choi, B.-J., see Choi, I.-S., **138** 330
Choi, I.-S., Cho, J.-H., Jeong, S.-G., Hong, J.-S., Kim, S.-J., Kim, J., Lee, M.-G., Choi, B.-J., Jang, I.-S., $GABA_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord, **138** 330
Chont, M., see Chung, O.Y., **138** 87
Chung, J.M., see Schwartz, E.S., **138** 514
Chung, K., see Schwartz, E.S., **138** 514
Chung, O.Y., Bruehl, S., Diedrich, L., Diedrich, A., Chont, M., Robertson, D., Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138** 87
Claar, R.L., Simons, L.E., Logan, D.E., Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability, **138** 172

doi:10.1016/S0304-3959(08)00476-4

Clapp, J.D., Beck, J. G., Palyo, S.A., Grant, D.M., An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects? **138** 301
Clark, J.D., see Sabsovich, I., **138** 47
Coderre, T.J., Bennett, G.J., Objectifying CRPS-I, **138** 3
Collins, S.D., see Medhurst, S.J., **138** 61
Cook, S.F., see Parsells Kelly, J., **138** 507
Corradini, M., see Lui, F., **138** 362
Crispel, Y., see Yarnitsky, D., **138** 22
Crofford, L.J., Determining long-term efficacy for treatment of chronic pain in fibromyalgia patients, **138** 473
Crombez, G., see Vervoort, T., **138** 277
Crown, E.D., see Gwak, Y.S., **138** 410

Dalby, D.M., see Maxwell, C.J., **138** 208
Dalziel, R.G., see Medhurst, S.J., **138** 61
Daoust, R., Beaulieu, P., Manzini, C., Chauny, J.-M., Lavigne, G., Estimation of pain intensity in emergency medicine: A validation study, **138** 565
Dashkovsky, A., see Weissman-Fogel, I., **138** 153
Davis, B.M., see Malin, S.A., **138** 484
De Clercq, A., see Vervoort, T., **138** 277
De Col, R., Maihöfner, C., Centrally mediated sensory decline induced by differential C-fiber stimulation, **138** 556
de Jong, J.R., see Leeuw, M., **138** 192
Defrin, R., Benstein-Sheraizin, A., Bezalel, A., Mantzur, O., Arendt-Nielsen, L., The spatial characteristics of the painful thermal grill illusion, **138** 577
Defrin, R., Ginzburg, K., Solomon, Z., Polad, E., Bloch, M., Govezensky, M., Schreiber, S., Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138** 450
Depmeier, C., see Birklein, F., **138** 111
DeVries, A., see Sullivan, M.D., **138** 440
Diedrich, A., see Chung, O.Y., **138** 87
Diedrich, L., see Chung, O.Y., **138** 87
Diener, H.-C., see Obermann, M., **138** 79
Diogenes, A., see Jeske, N.A., **138** 604
Dohi, T., see Morita, K., **138** 525
Donnadieu, S., see Robert, C., **138** 250
Dunn, K.M., see Von Korff, M., **138** 267
Duzzi, D., see Lui, F., **138** 362

Eccleston, C., see Vervoort, T., **138** 277
Eccleston, C., Children with chronic widespread pain: Hunting the Snark, **138** 477
Edlund, M.J., see Sullivan, M.D., **138** 440
Edwards, R.E., see Smith, M.T., **138** 497
Eisenberg, E., Shtahl, S., Geller, R., Reznick, A.Z., Sharf, O., Ravbinovich, M., Erenreich, A., Nagler, R.M., Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138** 226
Eisenberg, E., see Yarnitsky, D., **138** 22
El-Deredy, W., see Boyle, Y., **138** 630
El-Metwally, A., see Mikkelsson, M., **138** 681
Eliasziw, M., see Maxwell, C.J., **138** 208
Emery, C.F., France, C.R., Harris, J., Norman, G., VanArsdalen, C., Effects of progressive muscle relaxation training on nociceptive flexion reflex threshold in healthy young adults: A randomized trial, **138** 375
Endo, T., Spenger, C., Hao, J., Tominaga, T., Wiesenfeld-Hallin, Z., Olson, L., Xu, X.-J., Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury, **138** 292
Erenreich, A., see Eisenberg, E., **138** 226
Ersek, M., Turner, J.A., Cain, K.C., Kemp, C.A., Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138** 29
Esser, S., see Obermann, M., **138** 79

Facer, P., see Anand, U., **138** 667
Falla, D., Arendt-Nielsen, L., Farina, D., Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation, **138** 217
Fan, M.-Y., see Sullivan, M.D., **138** 440
Farina, D., see Falla, D., **138** 217
Fauerbach, J.A., see Smith, M.T., **138** 497
Fehrenbacher, J.C., see Jeske, N.A., **138** 604
Fermanian, C., see Attal, N., **138** 343
Fermanian, J., see Attal, N., **138** 343
Flühr, K., see Neddermeyer, T.J., **138** 286
France, C.R., see Emery, C.F., **138** 375
Franklin, K.B.J., see Ocvirk, R., **138** 402
Freynhagen, R., see Rolke, R., **138** 689

Gallace, A., see Moseley, G.L., **138** 7
Garcia-Alcaraz, M.A., see Baune, B.T., **138** 310
Gaudy, J.-F., see Robert, C., **138** 250
Geha, P.Y., Baliki, M.N., Wang, X., Harden, R.N., Paice, J.A., Apkarian, A.V., Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138** 641
Gehrke, B.J., see Schepers, R.J., **138** 423
Geller, R., see Eisenberg, E., **138** 226
Ginzburg, K., see Defrin, R., **138** 450
Goossens, M.E.J.B., see Leeuw, M., **138** 192
Gordh, T.E., Stubhaug, A., Jensen, T.S., Arnèr, S., Biber, B., Boivie, J., Mannheimer, C., Kalliomäki, J., Kalso, E., Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study, **138** 255
Goubert, L., see Vervoort, T., **138** 277
Govezensky, M., see Defrin, R., **138** 450
Granot, M., see Yarnitsky, D., **138** 22
Granovsky, Y., see Yarnitsky, D., **138** 22
Grant, D.M., see Clapp, J.D., **138** 301
Guan, Y., Johanek, L.M., Hartke, T.V., Shim, B., Tao, Y.-X., Ringkamp, M., Meyer, R.A., Raja, S.N., Peripherally acting mu-opioid receptor agonist attenuates neuropathic pain in rats after L5 spinal nerve injury, **138** 318
Guo, T.-Z., see Sabsovich, I., **138** 47
Gwak, Y.S., Crown, E.D., Unabia, G.C., Hulsebosch, C.E., Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat, **138** 410

Hanna, M., see Tang, N.K.Y., **138** 392
Hansen, C., see Birklein, F., **138** 111
Hao, J., see Endo, T., **138** 292
Harden, R.N., see Geha, P.Y., **138** 641
Hargreaves, K.M., see Jeske, N.A., **138** 604
Harris, J., see Emery, C.F., **138** 375
Hartke, T.V., see Guan, Y., **138** 318
Häussler, A., see Scholz, J., **138** 130
He, H., see Schiavenato, M., **138** 460
He, L., see Obermann, M., **138** 79
Henry, M., see Jeske, N.A., **138** 604
Herbert, T.A., see Scholz, J., **138** 130
Hester, J., see Tang, N.K.Y., **138** 392
Heuts, P.H.T.G., see Leeuw, M., **138** 192
Hirdes, J.P., see Maxwell, C.J., **138** 208
Hodges, A., see Tang, N.K.Y., **138** 392
Hoffmann, D., see Afif, A., **138** 546
Hogan, D.B., see Maxwell, C.J., **138** 208
Hoheisel, U., see Taguchi, T., **138** 119

Holavanahalli, R., see Smith, M.T., **138** 497
Holschneider, D.P., see Wang, Z., **138** 233
Hong, J.-S., see Choi, I.-S., **138** 330
Hulsebosch, C.E., see Gwak, Y.S., **138** 410

Ihlebaek, C.M., see Kamaleri, Y., **138** 41
Inui, K., see Mochizuki, H., **138** 598

Jang, I.-S., see Choi, I.-S., **138** 330
Jensen, T.S., see Gordh, T.E., **138** 255
Jeong, S.-G., see Choi, I.-S., **138** 330
Jeske, N.A., Diogenes, A., Ruparel, N.B., Fehrenbacher, J.C., Henry, M., Akopian, A.N., Hargreaves, K.M., A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138** 604
Johanek, L.M., see Guan, Y., **138** 318
Jones, A.K.P., see Boyle, Y., **138** 630

Kaan, T.K.Y., see Soril, L.J.J., **138** 98
Kahane, P., see Afif, A., **138** 546
Kakigi, R., see Mochizuki, H., **138** 598
Kalliomäki, J., see Gordh, T.E., **138** 255
Kalso, E., see Gordh, T.E., **138** 255
Kamaleri, Y., Natvig, B., Ihlebaek, C.M., Bruusgaard, D., Localized or widespread musculoskeletal pain: Does it matter? **138** 41
Kaminska, D., see Mika, J., **138** 587
Kamper, S.J., Rebbeck, T.J., Maher, C.G., McAuley, J.H., Sterling, M., Course and prognostic factors of whiplash: A systematic review and meta-analysis, **138** 617
Katsarava, Z., see Obermann, M., **138** 79
Katz, J., see Asmundson, G.J.G., **138** 247
Kaube, H., see Obermann, M., **138** 79
Kaufman, D.W., see Parsells Kelly, J., **138** 507
Kautiainen, H., see Mikkelsson, M., **138** 681
Kehlet, H., see Naert, A.L.G., **138** 163
Kemp, C.A., see Ersek, M., **138** 29
Kim, J., see Choi, I.-S., **138** 330
Kim, S.-J., see Choi, I.-S., **138** 330
Kingery, W.S., see Sabsovich, I., **138** 47
Kitayama, T., see Morita, K., **138** 525
Klick, B., see Smith, M.T., **138** 497
Klyukinov, M., see Sabsovich, I., **138** 47
Koes, B.W., see Peul, W.C., **138** 180
Koes, B.W., see Peul, W.C., **138** 571
Koerber, H.R., see Malin, S.A., **138** 484
Köke, A.J.A., see Leeuw, M., **138** 192
Korchev, Y., see Anand, U., **138** 667
Korostynski, M., see Mika, J., **138** 587
Kozachik, S., see Smith, M.T., **138** 497
Kupers, R., see Naert, A.L.G., **138** 163

Lanteri-Minet, M., see Attal, N., **138** 343
Lavigne, G., see Daoust, R., **138** 565
Lee, I., see Schwartz, E.S., **138** 514
Lee, K., see Wang, Z., **138** 233
Lee, M.-G., see Choi, I.-S., **138** 330
Leeuw, M., Goossens, M.E.J.B., van Breukelen, G.J.P., de Jong, J.R., Heuts, P.H.T.G., Smeets, R.J.E.M., Köke, A.J.A., Vlaeyen, J.W.S., Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138** 192
Lezotte, D., see Smith, M.T., **138** 497
Li, X., see Sabsovich, I., **138** 47
Logan, D.E., see Claar, R.L., **138** 172
Lopez-Garcia, J.A., see Roza, C., **138** 537
Lötsch, J., see Neddermeyer, T.J., **138** 286
Lu, N., see Schiavenato, M., **138** 460
Lui, F., Duzzi, D., Corradini, M., Serafini, M., Baraldi, P., Porro, C.A., Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli, **138** 362
Lynch, M.E., Dr. Lynch's Response, **138** 472

Maarek, J.-M.I., see Wang, Z., **138** 233
Macfarlane, G.J., see Mikkelsson, M., **138** 681
Maeda, Y., Wacnik, P.W., Sluka, K.A., Low frequencies, but not high frequencies of bi-polar spinal cord stimulation reduce cutaneous and muscle hyperalgesia induced by nerve injury, **138** 143
Magerl, W., see Birklein, F., **138** 111
Maher, C.G., see Kamper, S.J., **138** 617
Mahoney, J.L., see Schepers, R.J., **138** 423
Maihöfner, C., see De Col, R., **138** 556
Makuch, W., see Mika, J., **138** 587
Malin, S.A., Davis, B.M., Koerber, H.R., Reynolds, I.J., Albers, K.M., Molliver, D.C., Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor $P2Y_2$, **138** 484
Mannheimer, C., see Gordh, T.E., **138** 255
Mäntyselkä, P., Balancing act with geriatric pain treatment, **138** 1
Mantzur, O., see Defrin, R., **138** 577
Manzini, C., see Daoust, R., **138** 565
Marchand, S., see Potvin, S., **138** 70
Marian, C., see Scholz, J., **138** 130
Martin, B.C., see Sullivan, M.D., **138** 440
Martínez Montes, E., see Boyle, Y., **138** 630
Maschke, M., see Obermann, M., **138** 79
Maxwell, C.J., Dalby, D.M., Slater, M., Patten, S.B., Hogan, D.B., Eliasziw, M., Hirdes, J.P., The prevalence and management of current daily pain among older home care clients, **138** 208
Mayer, E.A., see Wang, Z., **138** 233
McAuley, J.H., see Kamper, S.J., **138** 617
McMahon, J.M., see Schiavenato, M., **138** 460
McPhail, L.T., see Soril, L.J.J., **138** 98
Medhurst, A.D., see Medhurst, S.J., **138** 61
Medhurst, S.J., Collins, S.D., Billinton, A., Bingham, S., Dalziel, R.G., Brass, A., Roberts, J.C., Medhurst, A.D., Chessell, I.P., Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138** 61
Mense, S., see Taguchi, T., **138** 119
Meyer, R.A., see Guan, Y., **138** 318
Mika, J., Korostynski, M., Kaminska, D., Wawrzczak-Bargiela, A., Osikowicz, M., Makuch, W., Przewlocki, R., Przewlocka, B., Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138** 587
Mikkelsson, M., El-Metwally, A., Kautiainen, H., Auvinen, A., Macfarlane, G.J., Salminen, J.J., Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study, **138** 681
Minotti, L., see Afif, A., **138** 546
Mitchell, A.A., see Parsells Kelly, J., **138** 507
Mochizuki, H., Inui, K., Yamashiro, K., Ootsuru, N., Kakigi, R., Itching-related somatosensory evoked potentials, **138** 598
Molliver, D.C., see Malin, S.A., **138** 484
Morioka, N., see Morita, K., **138** 525
Morita, K., Kitayama, T., Morioka, N., Dohi, T., Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138** 525
Moseley, G.L., Gallace, A., Spence, C., Is mirror therapy all it is cracked up to be? Current evidence and future directions, **138** 7

Naert, A.L.G., Kehlet, H., Kupers, R., Characterization of a novel model of tonic heat pain stimulation in healthy volunteers, **138** 163

Nagler, R.M., see Eisenberg, E., **138** 226
Natvig, B., see Kamaleri, Y., **138** 41
Neddermeyer, T.J., Flühr, K., Lötsch, J., Principle components analysis of pain thresholds to thermal, electrical, and mechanical stimuli suggests a predominant common source of variance, **138** 286
Neugebauer, V., Visceral pain and the black box called brain, **138** 5
Norman, G., see Emery, C.F., **138** 375

Obermann, M., Katsarava, Z., Esser, S., Sommer, C., He, L., Selter, L. Yoon, M.-S., Kaube, H., Diener, H.-C., Maschke, M., Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy, **138** 79
Ocvirk, R., Murphy, B.E.P., Franklin, K.B.J., Abbott F.V., Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138** 402
Olson, L., see Endo, T., **138** 292
Ootsuru, N., see Mochizuki, H., **138** 598
Osikowicz, M., see Mika, J., **138** 587
Otto, W.R., see Anand, U., **138** 667

Paice, J.A., see Geha, P.Y., **138** 641
Palyo, S.A., see Clapp, J.D., **138** 301
Parsells Kelly, J., Cook, S.F., Kaufman, D.W., Anderson, T., Rosenberg, L., Mitchell, A.A., Prevalence and characteristics of opioid use in the US adult population, **138** 507
Patten, S.B., see Maxwell, C.J., **138** 208
Pearson Murphy, B.E., see Ocvirk, **138** 402
Peul, W.C., Brand, R., Thomeer, R.T.W.M., Koes, B.W., Influence of gender and other prognostic factors on outcome of sciatica, **138** 180
Peul, W.C., Brand, R., Thomeer, R.T.W.M., Koes, B.W., Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica, **138** 571
Polad, E., see Defrin, R., **138** 450
Porro, C.A., see Lui, F., **138** 362
Potvin, S., Marchand, S., Hypoalgesia in schizophrenia is independent of antipsychotic drugs: A systematic quantitative review of experimental studies, **138** 70
Prawitt, D., see Birklein, F., **138** 111
Price, D.D., see Staud, R., **138** 473
Przewlocka, B., see Mika, J., **138** 587
Przewlocki, R., see Mika, J., **138** 587

Quessy, S.N., Rowbotham, M.C., Placebo response in neuropathic pain trials, **138** 479

Raja, S.N., see Guan, Y., **138** 318
Ramer, L.M., see Soril, L.J.J., **138** 98
Ramer, M.S., see Soril, L.J.J., **138** 98
Rautenstrauss, B., see Birklein, F., **138** 111
Ravbinovich, M., see Eisenberg, E., **138** 226
Rebbeck, T.J., see Kamper, S.J., **138** 617
Reynolds, I.J., see Malin, S.A., **138** 484
Reznick, A.Z., see Eisenberg, E., **138** 226
Ringkamp, M., see Guan, Y., **138** 318
Robert, C., Wilson, C.S., Donnadieu, S., Gaudy, J.-F., Arreto, C.-D., Bibliometric analysis of the scientific literature on pain research: A 2006 study, **138** 250
Roberts, J.C., see Medhurst, S.J., **138** 61
Robertson, D., see Chung, O.Y., **138** 87
Rogowski, Z., see Weissman-Fogel, I., **138** 153
Rolke, R., Freynhagen, R., Rutjes, A.-K., Baron, R., Tölle, T.R., Schu, S., Treede, R.-D., Pseudoradicular and radicular low-back pain – A disease continuum rather than different entities? Rebuttal: Reply to the letter by M. Schiltenwolf and M. Akbar, **138** 689
Rolke, R., see Birklein, F., **138** 111
Rosenberg, L., see Parsells Kelly, J., **138** 507
Rowbotham, M.C., How should treatment results from clinical practice be reported? **138** 475
Rowbotham, M.C., see Quessy, S.N., **138** 479
Roza, C., Lopez-Garcia, J.A., Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138** 537
Ruparel, N.B., see Jeske, N.A., **138** 604
Rutjes, A.-K., see Rolke, R., **138** 689

Sabsovich, I., Wei, T., Guo, T.-Z., Zhao, R., Shi, X., Li, X., Yeomans, D.C., Klyukinov, M., Kingery, W.S., Clark, J.D., Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138** 47
Salkovskis, P.M., see Tang, N.K.Y., **138** 392
Salminen, J.J., see Mikkelsson, M., **138** 681
Sanchez-Herrera, D., see Anand, U., **138** 667
Schepers, R.J., Mahoney, J.L., Gehrke, B.J., Shippenberg, T.S., Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138** 423
Schiavenato, M., Byers, J.F., Scovanner, P., McMahon, J.M., Xia, Y., Lu, N., He, H., Neonatal pain facial expression: Evaluating the primal face of pain, **138** 460
Schiltenwolf, M., Akbar, M., Freynhagen R et al.: Pseudoradicular and radicular low back pain – A disease continuum rather than different entities? Answers from quantitative sensory testing. Pain 135 (2008) 65–74, **138** 688
Scholz, J., Abele, A., Marian, C., Häussler, A., Herbert, T.A., Woolf, C.J., Tegeder, I., Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats, **138** 130
Schreiber, S., see Defrin, R., **138** 450
Schu, S., see Rolke, R., **138** 689
Schwartz, E.S., Lee, I., Chung, K., Chung, J.M., Oxidative stress in the spinal cord is an important contributor in capsaicin-induced mechanical secondary hyperalgesia in mice, **138** 514
Scovanner, P., see Schiavenato, M., **138** 460
Selter, L., see Obermann, M., **138** 79
Serafini, M., see Lui, F., **138** 362
Sharf, O., see Eisenberg, E., **138** 226
Shi, X., see Sabsovich, I., **138** 47
Shim, B., see Guan, Y., **138** 318
Shippenberg, T.S., see Schepers, R.J., **138** 423
Shtahl, S., see Eisenberg, E., **138** 226
Simoni-Wastila, L., Increases in opioid medication use: Balancing the good with the bad, **138** 245
Simons, L.E., see Claar, R.L., **138** 172
Singletary, G.W., see Crofford, L.J., **138** 473
Slater, M., see Maxwell, C.J., **138** 208
Sluka, K.A., see Maeda, Y., **138** 143
Smeets, R.J.E.M., see Leeuw, M., **138** 192
Smith, B.W., Zautra, A.J., The effects of anxiety and depression on weekly pain in women with arthritis, **138** 354
Smith, M.T., Klick, B., Kozachik, S., Edwards, R.E., Holavanahalli, R., Wiechman, S., Blakeney, P., Lezotte, D., Fauerbach, J.A., Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138** 497
Solomon, Z., see Defrin, R., **138** 450
Sommer, C., see Obermann, M., **138** 79
Soril, L.J.J., Ramer, L.M., McPhail, L.T., Kaan, T.K.Y., Ramer, M.S., Spinal brain-derived neurotrophic factor governs neuroplasticity and recovery from cold-hypersensitivity following dorsal rhizotomy, **138** 98
Spence, C., see Moseley, G.L., **138** 7
Spenger, C., see Endo, T., **138** 292
Sprecher, E., see Yarnitsky, D., **138** 22

Stanford, E.A., Chambers, C.T., Biesanz, J.C., Chen, E., The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138** 11
Staud, R., Price, D.D., Importance of measuring placebo factors in complex clinical trials, **138** 474
Sterling, M., see Kamper, S.J., **138** 617
Stubhaug, A., see Gordh, T.E., **138** 255
Sullivan, M.D., Edlund, M.J., Fan, M.-Y., DeVries, A., Braden, J.B., Martin, B.C., Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138** 440

Taguchi, T., Hoheisel, U., Mense, S., Dorsal horn neurons having input from low back structures in rats, **138** 119
Tang, N.K.Y., Salkovskis, P.M., Hodges, A., Wright, K.J., Hanna, M., Hester, J., Effects of mood on pain responses and pain tolerance: An experimental study in chronic back pain patients, **138** 392
Tao, Y.-X., see Guan, Y., **138** 318
Tegeder, I., see Scholz, J., **138** 130
Thomeer, R.T.W.M., see Peul, W.C., **138** 180
Thomeer, R.T.W.M., see Peul, W.C., **138** 571
Tölle, T.R., see Rolke, R., **138** 689
Tominaga, T., see Endo, T., **138** 292
Torres, D.P., Baudoin, J.and Lynch, M.E., Waiting for treatment for chronic pain, **138** 472
Toth, C., Au, S., A prospective identification of neuropathic pain in specific chronic polyneuropathy syndromes and response to pharmacological therapy, **138** 657
Treede, R.-D., see Rolke, R., **138** 689
Turner, J.A., see Ersek, M., **138** 29

Unabia, G.C., see Gwak, Y.S., **138** 410

van Breukelen, G.J.P., see Leeuw, M., **138** 192
VanArsdalen, C., see Emery, C.F., **138** 375
Verhoeven, K., see Vervoort, T., **138** 277
Vervoort, T., Goubert, L., Eccleston, C., Verhoeven, K., De Clercq, A., Buysse, A., Crombez, G., The effects of parental presence upon the facial expression of pain: The moderating role of child pain catastrophizing, **138** 277
Vlaeyen, J.W.S., see Leeuw, M., **138** 192
Von Korff, M., Dunn, K.M., Chronic pain reconsidered, **138** 267

Wacnik, P.W., see Maeda, Y., **138** 143
Wang, X., see Geha, P.Y., **138** 641
Wang, Z., Bradesi, S., Maarek, J.-M.I., Lee, K., Winchester, W.J., Mayer, E.A., Holschneider, D.P., Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138** 233
Wawrzczak-Bargiela, A., see Mika, J., **138** 587
Wei, T., see Sabsovich, I., **138** 47
Weissman-Fogel, I., Dashkovsky, A., Rogowski, Z., Yarnitsky, D., Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138** 153
Wiechman, S., see Smith, M.T., **138** 497
Wiesenfeld-Hallin, Z., see Endo, T., **138** 292
Wilson, C.S., see Robert, C., **138** 250
Winchester, W.J., see Wang, Z., **138** 233
Woolf, C.J., see Scholz, J., **138** 130
Wright, K.J., see Tang, N.K.Y., **138** 392

Xia, Y., see Schiavenato, M., **138** 460
Xu, X.-J., see Endo, T., **138** 292

Yamashiro, K., see Mochizuki, H., **138** 598
Yarnitsky, D., see Weissman-Fogel, I., **138** 153
Yarnitsky, D., Crispel, Y., Eisenberg, E., Granovsky, Y., Ben-Nun, A., Sprecher, E., Best, L.-A., Granot, M., Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138** 22
Yeomans, D.C., see Sabsovich, I., **138** 47
Yiangou, Y., see Anand, U., **138** 667
Yoon, M.-S., see Obermann, M., **138** 79

Zautra, A.J., see Smith, B.W., **138** 354
Zhao, R., see Sabsovich, I., **138** 47

Pain 138 (2008) 696–704

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 138 (2008)

Abdominal pain
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138**, 233
Acute post-operative pain
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138**, 22
Administrative claims data
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Adolescence
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
Affect
Selective modulation of nociceptive processing due to noise distraction, **138**, 630
Aged
The prevalence and management of current daily pain among older home care clients, **138**, 208
AKAP
A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138**, 604
Allodynia
Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138**, 61
Alpha-2 adrenergic
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Amygdala
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138**, 641
Antioxidants
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
Antipsychotic drugs
Hypoalgesia in schizophrenia is independent of antipsychotic drugs: A systematic quantitative review of experimental studies, **138**, 70
Anxiety
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138**, 450
Anxiety
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Anxiety
The effects of anxiety and depression on weekly pain in women with arthritis, **138**, 354
Arthritis
The effects of anxiety and depression on weekly pain in women with arthritis, **138**, 354
Arthritis
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Astrocytes
Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat, **138**, 410
Attention
Selective modulation of nociceptive processing due to noise distraction, **138**, 630
Axotomy
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138**, 537
Back pain
Chronic pain reconsidered, **138**, 267
Back pain
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Backache
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
Back-pain
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
Baroreflex sensitivity
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Bland and Altman
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Blood pressure
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Brain mapping
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138**, 233
Burn injury
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Burn Model Systems
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Cannabinoid receptor subtype 2
Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons, **138**, 667
Central neuropathic pain
Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat, **138**, 410

doi:10.1016/S0304-3959(08)00477-6

Central sensitization
Oxidative stress in the spinal cord is an important contributor in capsaicin-induced mechanical secondary hyperalgesia in mice, **138**, 514
Cerebral blood flow
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138**, 233
Cerebral cortex
Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli, **138**, 362
CFA
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
C-fibers
Itching-related somatosensory evoked potentials, **138**, 598
c-Fos immunoreactivity
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
Children
Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study, **138**, 681
Children
Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability, **138**, 172
Chronic constriction injury
Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138**, 61
Chronic low back pain
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Chronic pain
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Chronic pain
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138**, 641
Chronic pain
Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons, **138**, 667
Chronic pain
Chronic pain reconsidered, **138**, 267
Chronic pain
Effects of mood on pain responses and pain tolerance: An experimental study in chronic back pain patients, **138**, 392
Chronic pain
Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability, **138**, 172
Chronic pain
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138**, 450
Chronic pain
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Chronic pain
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Chronic post-operative pain
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138**, 22
Classification
Chronic pain reconsidered, **138**, 267
Cognitive-behavioural treatment
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Cold pain tolerance
A family-based investigation of cold pain tolerance, **138**, 111
Colorectal distension
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138**, 233
Complete Freund's adjuvant (CFA)
Dorsal horn neurons having input from low back structures in rats, **138**, 119
Complex regional pain syndrome
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
Complex Regional Pain Syndrome type I (CRPS-I)
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
COMT
A family-based investigation of cold pain tolerance, **138**, 111
Coping
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Correlates
The prevalence and management of current daily pain among older home care clients, **138**, 208
Correlation
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Cortex
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138**, 641
Course
Course and prognostic factors of whiplash: A systematic review and meta-analysis, **138**, 617
Cyclic GMP
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138**, 525
Cytokines
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
Depression
Combined effects of major depression, pain and somatic disorders on general functioning in the general adult population, **138**, 310
Depression
Effect of mood on pain responses and pain to tolerance: An experimental study in chronic back pain patients, **138**, 392
Depression
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Depression
The effects of anxiety and depression on weekly pain in women with arthritis, **138**, 354
Descending modulation
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138**, 153
Dexamethasone
Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats, **138**, 130
Diffuse noxious inhibitory control (DNIC)
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138**, 22
Dihydroprogesterone
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138**, 402

Disability
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
Disk herniation
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
Dorsal horn neurons
Dorsal horn neurons having input from low back structures in rats, **138**, 119
DRG
Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor $P2Y_2$, **138**, 484
Elderly
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Electrical stimulation
Middle short gyrus of the insula implicated in pain processing, **138**, 546
Electrically evoked itching
Itching-related somatosensory evoked potentials, **138**, 598
Emergency medicine
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Emotional numbing
An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects?, **138**, 301
Endogenous analgesia (EA)
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138**, 22
Epidemiology
Chronic pain reconsidered, **138**, 267
Epidemiology
Prevalence and characteristics of opioid use in the US adult population, **138**, 507
Epilepsy
Middle short gyrus of the insula implicated in pain processing, **138**, 546
Experimental pain models
Principle components analysis of pain thresholds to thermal, electrical, and mechanical stimuli suggests a predominant common source of variance, **138**, 286
Exposure in vivo
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Facial expression
Neonatal pain facial expression: Evaluating the primal face of pain, **138**, 460
Facial pain expression
The effects of parental presence upon the facial expression of pain: The moderating role of child pain catastrophizing, **138**, 277
fMRI
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138**, 641
fMRI
Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury, **138**, 292
Formalin test
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138**, 402
Free radicals
Oxidative stress in the spinal cord is an important contributor in capsaicin-induced mechanical secondary hyperalgesia in mice, **138**, 514
Free radicals
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
Functional ability
Localized or widespread musculoskeletal pain: Does it matter?, **138**, 41
Functional disability
Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability, **138**, 172
Functional magnetic resonance imaging
Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli, **138**, 362
GABA
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138**, 402
$GABA_B$ receptor
$GABA_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord, **138**, 330
Gabapentin
Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study, **138**, 255
Gender
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
Gender differences
Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation, **138**, 217
Gene deletion
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Glabrous skin
Sensitization of primary afferents to mechanical and heat stimuli after incision in a novel in vitro mouse glabrous skin-nerve preparation, **138**, 380
Glutamic acid decarboxylase
Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat, **138**, 410
Glycine
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138**, 525
Glycinergic IPSCs
$GABA_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord, **138**, 330
Graded activity
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Headache
Chronic pain reconsidered, **138**, 267
Headache
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
Headaches
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Heat pain
Characterization of a novel model of tonic heat pain stimulation in healthy volunteers, **138**, 163
Heritability
A family-based investigation of cold pain tolerance, **138**, 111
Histamine H_3 receptor
Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138**, 61

HIV
Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy, **138**, 79
HIV
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Home care
The prevalence and management of current daily pain among older home care clients, **138**, 208
Humans
Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli, **138**, 362
Hyperalgesia
A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138**, 604
Hyperalgesia
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
Hyperalgesia
Low frequencies, but not high frequencies of bi-polar spinal cord stimulation reduce cutaneous and muscle hyperalgesia induced by nerve injury, **138**, 143
Hyperalgesia
Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138**, 61
Hypertonic saline
Dorsal horn neurons having input from low back structures in rats, **138**, 119
Hypertonic saline
Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation, **138**, 217
Hypoalgesia
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Hypoalgesia
Hypoalgesia in schizophrenia is independent of antipsychotic drugs: A systematic quantitative review of experimental studies, **138**, 70
Hypoesthesia
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
IL-1 receptor antagonist
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138**, 587
IL-6
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138**, 587
IL-10
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138**, 587
IL-1alpha
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138**, 587
IL-1beta
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138**, 587
Immunosuppression
Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats, **138**, 130
In vitro preparation
Sensitization of primary afferents to mechanical and heat stimuli after incision in a novel in vitro mouse glabrous skin-nerve preparation, **138**, 380
Inflammation
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Inflammation
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
Inflammation
Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor $P2Y_2$, **138**, 484
Insomnia
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Insula
Middle short gyrus of the insula implicated in pain processing, **138**, 546
InterRAI
The prevalence and management of current daily pain among older home care clients, **138**, 208
Intraepidermal nerve fiber density
Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy, **138**, 79
Ion channels
Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons, **138**, 667
Ischemia
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
Joint pain
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Kappa-opioid receptor
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Knockout
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Laser-evoked potential
Selective modulation of nociceptive processing due to noise distraction, **138**, 630
Leg pain
Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica, **138**, 571
Localized pain
Localized or widespread musculoskeletal pain: Does it matter? **138**, 41
Longitudinal
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
Loperamide
Peripherally acting mu-opioid receptor agonist attenuates neuropathic pain in rats after L5 spinal nerve injury, **138**, 318
LORETA
Selective modulation of nociceptive processing due to noise distraction, **138**, 630
Low back pain mechanisms
Dorsal horn neurons having input from low back structures in rats, **138**, 119
Lumbosacral radicular syndrome
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
M-currents
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138**, 537

Mechanical allodynia
Peripherally acting mu-opioid receptor agonist attenuates neuropathic pain in rats after L5 spinal nerve injury, **138**, 318
Mediation
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Medical comorbidity
Combined effects of major depression, pain and somatic disorders on general functioning in the general adult population, **138**, 310
Meta-analysis
Course and prognostic factors of whiplash: A systematic review and meta-analysis, **138**, 617
Meta-analysis
Hypoalgesia in schizophrenia is independent of antipsychotic drugs: A systematic quantitative review of experimental studies, **138**, 70
Methotrexate
Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats, **138**, 130
MicroCT scanning
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
Microglia
Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats, **138**, 130
Microglia
Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat, **138**, 410
Middle short gyrus
Middle short gyrus of the insula implicated in pain processing, **138**, 546
Migraines
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Mood induction
Effects of mood on pain responses and pain tolerance: An experimental study in chronic back pain patients, **138**, 392
Motor vehicle accident
An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects? **138**, 301
Mouse
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Mouse
Sensitization of primary afferents to mechanical and heat stimuli after incision in a novel in vitro mouse glabrous skin-nerve preparation, **138**, 380
Multi-channel electromyography
Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation, **138**, 217
Multifidus muscle
Dorsal horn neurons having input from low back structures in rats, **138**, 119
Multisite pain
Localized or widespread musculoskeletal pain: Does it matter? **138**, 41
Multivariate analyses
Neuropathic pain: Are there distinct subtypes depending on the aetiology or anatomical lesion? **138**, 343
Mu-opioid receptor
Peripherally acting mu-opioid receptor agonist attenuates neuropathic pain in rats after L5 spinal nerve injury, **138**, 318
Muscle topography
Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation, **138**, 217
Musculoskeletal pain
Localized or widespread musculoskeletal pain: Does it matter? **138**, 41
Myalgia
Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation, **138**, 217
Naloxone
Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury, **138**, 292
Narcotics
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Neck pain
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Neonatal pain
Neonatal pain facial expression: Evaluating the primal face of pain, **138**, 460
Nerve growth factor (NGF)
Dorsal horn neurons having input from low back structures in rats, **138**, 119
Nerve injury
Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons, **138**, 667
Nerve injury
Peripherally acting mu-opioid receptor agonist attenuates neuropathic pain in rats after L5 spinal nerve injury, **138**, 318
Neuropathic pain
A prospective identification of neuropathic pain in specific chronic polyneuropathy syndromes and response to pharmacological therapy, **138**, 657
Neuropathic pain
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
Neuropathic pain
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
Neuropathic pain
Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury, **138**, 292
Neuropathic pain
Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study, **138**, 255
Neuropathic pain
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model, **138**, 587
Neuropathic pain
Low frequencies, but not high frequencies of bi-polar spinal cord stimulation reduce cutaneous and muscle hyperalgesia induced by nerve injury, **138**, 143
Neuropathic pain
Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats, **138**, 130
Neuropathic pain
Neuropathic pain: Are there distinct subtypes depending on the aetiology or anatomical lesion? **138**, 343

Neuropathic pain
Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138**, 61
Neuropathic pain
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138**, 537
Neuropathic pain
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
Neuropathic pain
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Neuropathic pain symptom inventory
Neuropathic pain: Are there distinct subtypes depending on the aetiology or anatomical lesion? **138**, 343
Neuropathy
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138**, 153
NGF
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
NO
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138**, 525
Nociception
Effects of progressive muscle relaxation training on nociceptive flexion reflex threshold in healthy young adults: A randomized trial, **138**, 375
Nociception
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138**, 233
Nociceptive flexion reflex
Effects of progressive muscle relaxation training on nociceptive flexion reflex threshold in healthy young adults: A randomized trial, **138**, 375
Nociceptor
Sensitization of primary afferents to mechanical and heat stimuli after incision in a novel in vitro mouse glabrous skin-nerve preparation, **138**, 380
Norbinaltorphimine
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Numerical scale
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Older adults
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Opiates
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Opioid potency
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study, **138**, 440
Opioids
Prevalence and characteristics of opioid use in the US adult population, **138**, 507
Orofacial pain
Chronic pain reconsidered, **138**, 267
Outcome
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
Oxidative stress
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome, **138**, 226
PAF
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138**, 525
Pain
A family-based investigation of cold pain tolerance, **138**, 111
Pain
A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138**, 604
Pain
An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects? **138**, 301
Pain
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138**, 402
Pain
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Pain
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
Pain
$GABA_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord, **138**, 330
Pain
Low frequencies, but not high frequencies of bi-polar spinal cord stimulation reduce cutaneous and muscle hyperalgesia induced by nerve injury, **138**, 143
Pain
Middle short gyrus of the insula implicated in pain processing, **138**, 546
Pain
Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study, **138**, 681
Pain
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Pain
Selective modulation of nociceptive processing due to noise distraction, **138**, 630
Pain
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Pain
The effects of anxiety and depression on weekly pain in women with arthritis, **138**, 354
Pain
The prevalence and management of current daily pain among older home care clients, **138**, 208
Pain
The spatial characteristics of the painful thermal grill illusion, **138**, 577
pain
Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli, **138**, 362
Pain
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138**, 153
Pain
Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor $P2Y_2$, **138**, 484

Pain assessment
Neonatal pain facial expression: Evaluating the primal face of pain, **138**, 460
Pain asessment
Principle components analysis of pain thresholds to thermal, electrical, and mechanical stimuli suggests a predominant common source of variance, **138**, 286
Pain catastrophizing
The effects of parental presence upon the facial expression of pain: The moderating role of child pain catastrophizing, **138**, 277
Pain location
Combined effects of major depression, pain and somatic disorders on general functioning in the general adult population, **138**, 310
Pain measurement
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Pain perception
Effects of mood on pain responses and pain tolerance: An experimental study in chronic back pain patients, **138**, 392
Pain perception
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138**, 450
Pain prediction
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138**, 22
Pain sensation
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138**, 450
Pain threshold
Principle components analysis of pain thresholds to thermal, electrical, and mechanical stimuli suggests a predominant common source of variance, **138**, 286
Pain tolerance
Effects of mood on pain responses and pain tolerance: An experimental study in chronic back pain patients, **138**, 392
Pain-related evoked potentials
Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy, **138**, 79
Pain-related fear
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Paradoxical heat
The spatial characteristics of the painful thermal grill illusion, **138**, 577
Parental presence
The effects of parental presence upon the facial expression of pain: The moderating role of child pain catastrophizing, **138**, 277
Parental responses
Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability, **138**, 172
Pediatric pain
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
Peripheral nerve
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138**, 537
Peripheral neuropathy
A prospective identification of neuropathic pain in specific chronic polyneuropathy syndromes and response to pharmacological therapy, **138**, 657
Persistent pain
Oxidative stress in the spinal cord is an important contributor in capsaicin-induced mechanical secondary hyperalgesia in mice, **138**, 514
PFP
Neonatal pain facial expression: Evaluating the primal face of pain, **138**, 460
Pharmacotherapy
A prospective identification of neuropathic pain in specific chronic polyneuropathy syndromes and response to pharmacological therapy, **138**, 657
Pharmacotherapy
The prevalence and management of current daily pain among older home care clients, **138**, 208
Pinprick pain
A family-based investigation of cold pain tolerance, **138**, 111
PKA
A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138**, 604
Plasticity
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138**, 153
Polyneuropathy
A prospective identification of neuropathic pain in specific chronic polyneuropathy syndromes and response to pharmacological therapy, **138**, 657
Population-based
Prevalence and characteristics of opioid use in the US adult population, **138**, 507
Posttraumatic Stress Disorder
An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects? **138**, 301
Potassium channels
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138**, 537
Pregnanolone
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138**, 402
Pressure pain
A family-based investigation of cold pain tolerance, **138**, 111
Presynaptic inhibition
$GABA_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord, **138**, 330
Prevalence
Prevalence and characteristics of opioid use in the US adult population, **138**, 507
Primal face of pain
Neonatal pain facial expression: Evaluating the primal face of pain, **138**, 460
Primary afferents
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres, **138**, 537
Prognosis
Course and prognostic factors of whiplash: A systematic review and meta-analysis, **138**, 617
Prognosis
Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study, **138**, 681
Progressive muscle relaxation
Effects of progressive muscle relaxation training on nociceptive flexion reflex threshold in healthy young adults: A randomized trial, **138**, 375
Prolonged conservative care
Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica, **138**, 571
Psychophysics
Characterization of a novel model of tonic heat pain stimulation in healthy volunteers, **138**, 163

Psychophysics
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk, **138**, 22
Psychosocial predictors
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
PTSD
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138**, 450
Purinergic
Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor $P2Y_2$, **138**, 484
Putamen
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138**, 641
QST
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain, **138**, 450
Quality of life
An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects? **138**, 301
Quantitative sensory testing
Characterization of a novel model of tonic heat pain stimulation in healthy volunteers, **138**, 163
Randomized controlled cross-over trial
Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study, **138**, 255
Randomized controlled trial
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial, **138**, 192
Randomized trial
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Rat
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Recurrent pain
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11
Risk factors
Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study, **138**, 681
Roland disability questionnaire
Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica, **138**, 571
ROS
Oxidative stress in the spinal cord is an important contributor in capsaicin-induced mechanical secondary hyperalgesia in mice, **138**, 514
Rostral ventromedial medulla
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Schizophrenia
Hypoalgesia in schizophrenia is independent of antipsychotic drugs: A systematic quantitative review of experimental studies, **138**, 70
Sciatica
Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica, **138**, 571
Sciatica
Influence of gender and other prognostic factors on outcome of sciatica, **138**, 180
SEEG
Middle short gyrus of the insula implicated in pain processing, **138**, 546
Self-management
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548], **138**, 29
Sensory neurons
Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons, **138**, 667
Sensory systems
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
Sequence method
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87
Single site pain
Localized or widespread musculoskeletal pain: Does it matter? **138**, 41
Skin biopsy
Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy, **138**, 79
Sleep
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain, **138**, 497
Small-fiber neuropathy
Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy, **138**, 79
Somatic symptoms
Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability, **138**, 172
Somatosensory
Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury, **138**, 292
Somatosensory evoked potential
Itching-related somatosensory evoked potentials, **138**, 598
Somatosensory plasticity
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
Spatial discrimination
The spatial characteristics of the painful thermal grill illusion, **138**, 577
Spatial summation
The spatial characteristics of the painful thermal grill illusion, **138**, 577
Spinal cord
Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation, **138**, 423
Spinal cord
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138**, 525
Spinal cord injury
Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury, **138**, 292
Spinal cord injury
Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat, **138**, 410
Spinal cord stimulation
Low frequencies, but not high frequencies of bi-polar spinal cord stimulation reduce cutaneous and muscle hyperalgesia induced by nerve injury, **138**, 143
Stomachache
The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach, **138**, 11

Substantia gelatinosa
GABA$_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord, **138**, 330
Survey
Prevalence and characteristics of opioid use in the US adult population, **138**, 507
Symptoms
Neuropathic pain: Are there distinct subtypes depending on the aetiology or anatomical lesion? **138**, 343
Systematic review
Course and prognostic factors of whiplash: A systematic review and meta-analysis, **138**, 617
Tactile allodynia
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice, **138**, 525
Temporal summation
Characterization of a novel model of tonic heat pain stimulation in healthy volunteers, **138**, 163
Tetrahydroprogesterone
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test, **138**, 402
Thermal
Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor P2Y$_2$, **138**, 484
Thermal grill illusion
The spatial characteristics of the painful thermal grill illusion, **138**, 577
Tibia fracture
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I, **138**, 47
Tonic pain
Characterization of a novel model of tonic heat pain stimulation in healthy volunteers, **138**, 163
Touch
Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli, **138**, 362
Touch
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia, **138**, 641
Touch
Centrally mediated sensory decline induced by differential C-fiber stimulation, **138**, 556
Transduction
Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor P2Y$_2$, **138**, 484
Traumatic nerve injury
Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study, **138**, 255
Trigeminal
A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138**, 604
TRPV1
A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1, **138**, 604
Vagus
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138**, 153
Validation study
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Varicella-zoster virus
Novel histamine H$_3$ receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain, **138**, 61
Vincristine
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms, **138**, 153
Visceral pain
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation, **138**, 233
Visual analogue scale
Estimation of pain intensity in emergency medicine: A validation study, **138**, 565
Visual analogue scale
Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica, **138**, 571
Whiplash
Course and prognostic factors of whiplash: A systematic review and meta-analysis, **138**, 617
Widespread pain
Localized or widespread musculoskeletal pain: Does it matter? **138**, 41
Widespread pain
Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study, **138**, 681
Women
The effects of anxiety and depression on weekly pain in women with arthritis, **138**, 354
Yohimbine
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain, **138**, 87

Pain 138 (2008) 705–708

PAIN

www.elsevier.com/locate/pain

Contents to Volume 138 (2008)

Number 1 – 15 August 2008

EDITORIALS

Balancing act with geriatric pain treatment
P. Mäntyselkä (Finland) 1
Objectifying CRPS-I
T.J. Coderre, G.J. Bennett (Canada) 3
Visceral pain and the black box called brain
V. Neugebauer (USA) 5

TOPICAL REVIEW

Is mirror therapy all it is cracked up to be? Current evidence and future directions
G.L. Moseley, A. Gallace, C. Spence (UK, Italy) 7

RESEARCH PAPERS

The frequency, trajectories and predictors of adolescent recurrent pain: A population-based approach
E.A. Stanford, C.T. Chambers, J.C. Biesanz, E. Chen (Canada) 11
Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk
D. Yarnitsky, Y. Crispel, E. Eisenberg, Y. Granovsky, A. Ben-Nun, E. Sprecher, L.-A. Best, M. Granot (Israel) 22
Results of a randomized controlled trial to examine the efficacy of a chronic pain self-management group for older adults [ISRCTN11899548]
M. Ersek, J.A. Turner, K.C. Cain, C.A. Kemp (USA) 29
Localized or widespread musculoskeletal pain: Does it matter?
Y. Kamaleri, B. Natvig, C.M. Ihlebaek, D. Bruusgaard (Norway) 41
Effect of anti-NGF antibodies in a rat tibia fracture model of complex regional pain syndrome type I
I. Sabsovich, T. Wei, T.-Z. Guo, R. Zhao, X. Shi, X. Li, D.C. Yeomans, M. Klyukinov, W.S. Kingery, J.D. Clark (USA) 47
Novel histamine H_3 receptor antagonists GSK189254 and GSK334429 are efficacious in surgically-induced and virally-induced rat models of neuropathic pain
S.J. Medhurst, S.D. Collins, A. Billinton, S. Bingham, R.G. Dalziel, A. Brass, J.C. Roberts, A.D. Medhurst, I.P. Chessell (UK) 61
Hypoalgesia in schizophrenia is independent of antipsychotic drugs: A systematic quantitative review of experimental studies
S. Potvin, S. Marchand (Canada) 70
Correlation of epidermal nerve fiber density with pain-related evoked potentials in HIV neuropathy
M. Obermann, Z. Katsarava, S. Esser, C. Sommer, L. He, L. Selter, M.-S. Yoon, H. Kaube, H.-C. Diener, M. Maschke (Germany) 79
Baroreflex sensitivity associated hypoalgesia in healthy states is altered by chronic pain
O.Y. Chung, S. Bruehl, L. Diedrich, A. Diedrich, M. Chont, D. Robertson (USA) 87
Spinal brain-derived neurotrophic factor governs neuroplasticity and recovery from cold-hypersensitivity following dorsal rhizotomy
L.J.J. Soril, L.M. Ramer, L.T. McPhail, T.K.Y. Kaan, M.S. Ramer (Canada, UK) 98
A family-based investigation of cold pain tolerance
F. Birklein, C. Depmeier, R. Rolke, C. Hansen, B. Rautenstrauss, D. Prawitt, W. Magerl (Germany) 111
Dorsal horn neurons having input from low back structures in rats
T. Taguchi, U. Hoheisel, S. Mense (Germany) 119
Low-dose methotrexate reduces peripheral nerve injury-evoked spinal microglial activation and neuropathic pain behavior in rats
J. Scholz, A. Abele, C. Marian, A. Häussler, T.A. Herbert, C.J. Woolf, I. Tegeder (USA, Germany) 130
Low frequencies, but not high frequencies of bi-polar spinal cord stimulation reduce cutaneous and muscle hyperalgesia induced by nerve injury
Y. Maeda, P.W. Wacnik, K.A. Sluka (USA) 143
Vagal damage enhances polyneuropathy pain: Additive effect of two algogenic mechanisms
I. Weissman-Fogel, A. Dashkovsky, Z. Rogowski, D. Yarnitsky (Israel) 153
Characterization of a novel model of tonic heat pain stimulation in healthy volunteers
A.L.G. Naert, H. Kehlet, R. Kupers (Denmark) 163

doi:10.1016/S0304-3959(08)00478-8

Parental response to children's pain: The moderating impact of children's emotional distress on symptoms and disability
R.L. Claar, L.E. Simons, D.E. Logan (USA) 172
Influence of gender and other prognostic factors on outcome of sciatica
W.C. Peul, R. Brand, R.T.W.M. Thomeer, B.W. Koes (The Netherlands) 180
Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial
M. Leeuw, M.E.J.B. Goossens, G.J.P. van Breukelen, J.R. de Jong, P.H.T.G. Heuts, R.J.E.M. Smeets, A.J.A. Köke, J.W.S. Vlaeyen (The Netherlands) 192
The prevalence and management of current daily pain among older home care clients
C.J. Maxwell, D.M. Dalby, M. Slater, S.B. Patten, D.B. Hogan, M. Eliasziw, J.P. Hirdes (Canada) 208
Gender-specific adaptations of upper trapezius muscle activity to acute nociceptive stimulation
D. Falla, L. Arendt-Nielsen, D. Farina (Denmark) 217
Serum and salivary oxidative analysis in Complex Regional Pain Syndrome
E. Eisenberg, S. Shtahl, R. Geller, A.Z. Reznick, O. Sharf, M. Ravbinovich, A. Erenreich, R.M. Nagler (Israel) 226
Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation
Z. Wang, S. Bradesi, J.-M.I. Maarek, K. Lee, W.J. Winchester, E.A. Mayer, D.P. Holschneider (USA, UK) 233

Number 2 – 31 August 2008

EDITORIALS

Increases in opioid medication use: Balancing the good with the bad
L. Simoni-Wastila (USA) 245
Understanding pain and posttraumatic stress disorder comorbidity: Do pathological responses to trauma alter the perception of pain?
G.J.G. Asmundson, J. Katz (Canada) 247

TOPICAL REVIEW

Bibliometric analysis of the scientific literature on pain research: A 2006 study
C. Robert, C.S. Wilson, S. Donnadieu, J.-F. Gaudy, C.-D. Arreto (France, Australia) 250

RESEARCH PAPERS

Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study
T.E. Gordh, A. Stubhaug, T.S. Jensen, S. Arnèr, B. Biber, J. Boivie, C. Mannheimer, J. Kalliomäki, E. Kalso (Sweden, Norway, Denmark, Finland) 255
Chronic pain reconsidered
M. Von Korff, K.M. Dunn (USA, UK) 267
The effects of parental presence upon the facial expression of pain: The moderating role of child pain catastrophizing
T. Vervoort, L. Goubert, C. Eccleston, K. Verhoeven, A. De Clercq, A. Buysse, G. Crombez (The Netherlands, UK, Belgium) 277
Principle components analysis of pain thresholds to thermal, electrical, and mechanical stimuli suggests a predominant common source of variance
T.J. Neddermeyer, K. Flühr, J. Lötsch (Germany) 286
Functional MRI of the brain detects neuropathic pain in experimental spinal cord injury
T. Endo, C. Spenger, J. Hao, T. Tominaga, Z. Wiesenfeld-Hallin, L. Olson, X.-J. Xu (Sweden, Japan) 292
An examination of the synergy of pain and PTSD on quality of life: Additive or multiplicative effects?
J.D. Clapp, J.G. Beck, S.A. Palyo, D.M. Grant (USA) 301
Combined effects of major depression, pain and somatic disorders on general functioning in the general adult population
B.T. Baune, R.N. Caniato, M.A. Garcia-Alcaraz, K. Berger (Australia, Germany) 310
Peripherally acting mu-opioid receptor agonist attenuates neuropathic pain in rats after L5 spinal nerve injury
Y. Guan, L.M. Johanek, T.V. Hartke, B. Shim, Y.-X. Tao, M. Ringkamp, R.A. Meyer, S.N. Raja (USA) 318
$GABA_B$ receptor-mediated presynaptic inhibition of glycinergic transmission onto substantia gelatinosa neurons in the rat spinal cord
I.-S. Choi, J.-H. Cho, S.-G. Jeong, J.-S. Hong, S.-J. Kim, J. Kim, M.-G. Lee, B.-J. Choi, I.-S. Jang (Republic of Korea) 330
Neuropathic pain: Are there distinct subtypes depending on the aetiology or anatomical lesion?
N. Attal, C. Fermanian, J. Fermanian, M. Lanteri-Minet, H. Alchaar, D. Bouhassira (France) 343
The effects of anxiety and depression on weekly pain in women with arthritis
B.W. Smith, A.J. Zautra (USA) 354
Touch or pain? Spatio-temporal patterns of cortical fMRI activity following brief mechanical stimuli
F. Lui, D. Duzzi, M. Corradini, M. Serafini, P. Baraldi, C.A. Porro (Italy) 362
Effects of progressive muscle relaxation training on nociceptive flexion reflex threshold in healthy young adults: A randomized trial
C.F. Emery, C.R. France, J. Harris, G. Norman, C. VanArsdalen (USA) 375
Sensitization of primary afferents to mechanical and heat stimuli after incision in a novel in vitro mouse glabrous skin-nerve preparation
R.K. Banik, T.J. Brennan (USA) 380
Effects of mood on pain responses and pain tolerance: An experimental study in chronic back pain patients
N.K.Y. Tang, P.M. Salkovskis, A. Hodges, K.J. Wright, M. Hanna, J. Hester (UK) 392
Antinociceptive profile of ring A-reduced progesterone metabolites in the formalin test
R. Ocvirk, B.E. Pearson Murphy, K.B.J. Franklin, F.V. Abbott (Canada) 402
Propentofylline attenuates allodynia, glial activation and modulates GABAergic tone after spinal cord injury in the rat
Y.S. Gwak, E.D. Crown, G.C. Unabia, C.E. Hulsebosch (USA) 410

Endogenous kappa-opioid receptor systems inhibit hyperalgesia associated with localized peripheral inflammation
R.J. Schepers, J.L. Mahoney, B.J. Gehrke, T.S. Shippenberg (USA) 423
Trends in use of opioids for non-cancer pain conditions 2000–2005 in Commercial and Medicaid insurance plans: The TROUP study*
M.D. Sullivan, M.J. Edlund, M.-Y. Fan, A. DeVries, J. Brennan Braden, B.C. Martin (USA) 440
Quantitative testing of pain perception in subjects with PTSD – Implications for the mechanism of the coexistence between PTSD and chronic pain*
R. Defrin, K. Ginzburg, Z. Solomon, E. Polad, M. Bloch, M. Govezensky, S. Schreiber (Israel) 450
Neonatal pain facial expression: Evaluating the primal face of pain
M. Schiavenato, J.F. Byers, P. Scovanner, J.M. McMahon, Y. Xia, N. Lu, H. He (USA) 460

LETTERS TO THE EDITOR

Waiting for treatment for chronic pain
D.P. Torres, J. Baudoin (Chile) 472
Dr. Lynch's Response
M.E. Lynch (Canada) 472
Determining long-term efficacy for treatment of chronic pain in fibromyalgia patients
L.J. Crofford (USA) 473
Importance of measuring placebo factors in complex clinical trials
R. Staud, D.D. Price (USA) 473

*An Editorial regarding this article can be found in this issue of *PAIN*

Number 3 – 15 September 2008

EDITORIALS

How should treatment results from clinical practice be reported?
M.C. Rowbotham (USA) 475
Children with chronic widespread pain: Hunting the Snark
C. Eccleston (UK) 477

TOPICAL REVIEW

Placebo response in neuropathic pain trials
S.N. Quessy, M.C. Rowbotham (USA) 479

RESEARCH PAPERS

Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor $P2Y_2$
S.A. Malin, B.M. Davis, H.R. Koerber, I.J. Reynolds, K.M. Albers, D.C. Molliver (USA) 484
Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain
M.T. Smith, B. Klick, S. Kozachik, R.E. Edwards, R. Holavanahalli, S. Wiechman, P. Blakeney, D. Lezotte, J.A. Fauerbach (USA) 497
Prevalence and characteristics of opioid use in the US adult population
J. Parsells Kelly, S.F. Cook, D.W. Kaufman, T. Anderson, L. Rosenberg, A.A. Mitchell (USA) 507
Oxidative stress in the spinal cord is an important contributor in capsaicin-induced mechanical secondary hyperalgesia in mice
E.S. Schwartz, I. Lee, K. Chung, J.M. Chung (USA) 514
Glycinergic mediation of tactile allodynia induced by platelet-activating factor (PAF) through glutamate–NO–cyclic GMP signalling in spinal cord in mice
K. Morita, T. Kitayama, N. Morioka, T. Dohi (Japan) 525
Retigabine, the specific KCNQ channel opener, blocks ectopic discharges in axotomized sensory fibres
C. Roza, J.A. Lopez-Garcia (Spain) 537
Middle short gyrus of the insula implicated in pain processing
A. Afif, D. Hoffmann, L. Minotti, A.L. Benabid, P. Kahane (France) 546
Centrally mediated sensory decline induced by differential C-fiber stimulation
R. De Col, C. Maihöfner (Germany) 556
Estimation of pain intensity in emergency medicine: A validation study
R. Daoust, P. Beaulieu, C. Manzini, J.-M. Chauny, G. Lavigne (Canada) 565
Improving prediction of "inevitable" surgery during non-surgical treatment of sciatica
W.C. Peul, R. Brand, R.T.W.M. Thomeer, B.W. Koes (The Netherlands) 571
The spatial characteristics of the painful thermal grill illusion
R. Defrin, A. Benstein-Sheraizin, A. Bezalel, O. Mantzur, L. Arendt-Nielsen (Israel, Denmark) 577
Interleukin-1alpha has antiallodynic and antihyperalgesic activities in a rat neuropathic pain model
J. Mika, M. Korostynski, D. Kaminska, A. Wawrzczak-Bargiela, M. Osikowicz, W. Makuch, R. Przewlocki, B. Przewlocka (Poland) 587
Itching-related somatosensory evoked potentials
H. Mochizuki, K. Inui, K. Yamashiro, N. Ootsuru, R. Kakigi (Japan) 598

A-kinase anchoring protein mediates TRPV1 thermal hyperalgesia through PKA phosphorylation of TRPV1
N.A. Jeske, A. Diogenes, N.B. Ruparel, J.C. Fehrenbacher, M. Henry, A.N. Akopian, K.M. Hargreaves (USA) 604
Course and prognostic factors of whiplash: A systematic review and meta-analysis
S.J. Kamper, T.J. Rebbeck, C.G. Maher, J.H. McAuley, M. Sterling (Australia) 617
Selective modulation of nociceptive processing due to noise distraction
Y. Boyle, W. El-Deredy, E. Martínez Montes, D.E. Bentley, A.K.P. Jones (UK, Cuba) 630
Brain dynamics for perception of tactile allodynia (touch-induced pain) in postherpetic neuralgia
P.Y. Geha, M.N. Baliki, X. Wang, R.N. Harden, J.A. Paice, A.V. Apkarian (USA) 641
A prospective identification of neuropathic pain in specific chronic polyneuropathy syndromes and response to pharmacological therapy*
C. Toth, S. Au (Canada) 657
Cannabinoid receptor CB2 localisation and agonist-mediated inhibition of capsaicin responses in human sensory neurons
U. Anand, W.R. Otto, D. Sanchez-Herrera, P. Facer, Y. Yiangou, Y. Korchev, R. Birch, C. Benham, C. Bountra, I.P. Chessell, P. Anand (UK) 667
Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study*
M. Mikkelsson, A. El-Metwally, H. Kautiainen, A. Auvinen, G.J. Macfarlane, J.J. Salminen (Finland, UK, United Arab Emirates) 681

LETTERS TO THE EDITOR

Freynhagen R et al.: Pseudoradicular and radicular low back pain – A disease continuum rather than different entities? Answers from quantitative sensory testing. Pain 135 (2008) 65–74
M. Schiltenwolf, M. Akbar (Germany) 688
Pseudoradicular and radicular low-back pain – A disease continuum rather than different entities? Rebuttal: Reply to the letter by M. Schiltenwolf and M. Akbar
R. Rolke, R. Freynhagen, A.-K. Rutjes, R. Baron, T.R. Tölle, S. Schu, R.-D. Treede (Germany) 689

Author Index to Volume 138 691

Subject Index to Volume 138 696

Contents to Volume 138 705

*An Editorial regarding this article can be found in this issue of *PAIN*